

ROCK

Carving Collection

A Surface
Sculpted For Luxury

←
rockgranito.com

Crafting Surfaces. Inspiring Spaces.

At Rock Granito, we create premium ceramic and porcelain surfaces that combine timeless aesthetics with exceptional strength. Every collection is designed with precision, innovation, and a passion for quality to complement modern lifestyles and architectural vision.



 rockgranito.com

For more than a decade, Rock Granito has been committed to delivering surfaces that reflect the perfect balance of design, durability, and performance. Our advanced manufacturing processes, stringent quality standards, and customer-focused approach enable us to create products that meet the evolving demands of residential, commercial, and architectural projects. By embracing innovation, sustainable practices, and continuous improvement, we ensure every tile offers lasting beauty, dependable performance, and enduring value—making Rock Granito a trusted partner for creating inspiring spaces around the world.

Story Of


ROCK

Carving tiles combine artistic texture with enduring elegance for sophisticated interiors.

rockgranito.com



Refined Textures With Lasting Visual Appeal



Every detail is carefully crafted to create rich textures and authentic stone-inspired depth. Elegant veining and precision carving bring a refined character to every surface. Designed for both floors and walls, they complement contemporary and classic interiors alike. Built for durability, they retain their beauty while withstanding everyday use. A perfect balance of craftsmanship, performance, and timeless design defines every collection.

Timeless Beauty



Crafted Through Inspired
Surface Design

**1000X
1000MM**

**1200X
1200MM**

*Elegant Carving
Tiles, Timeless
Grandeur*

Crafted in premium 1000×1000mm and 1200×1200mm sizes. Our carving tiles deliver refined texture and sophisticated appeal. The detailed surface creates a luxurious and contemporary ambiance. Built for lasting durability with exceptional performance every day. Perfect for elegant residential and commercial interiors.

Transform every space with premium carving tiles that combine artistic beauty, superior strength, and seamless large-format elegance.

TIMELESS
DESIGNS FOR
MODERN
SPACES

HARMONY

Each ceramic tile showcases distinctive textures with a refined contemporary character. Soft tones and elegant detailing create a welcoming visual experience. A perfect choice for interiors that celebrate modern luxury.



Residential / Hotel Restaurant / Commercial Building / Hospital /
Airport / Hall & Corridor / Mall & Super Market

Crafted to elevate everyday living with
sophisticated style. Designed for lasting visual impressions.




Durable Material / Weather proof / Heat & Fire Safe / Water Resistant / Water Resistant / Food Safe
Hygienic / Chip & Scratch Resistant / Easy to Clean / Stain Resistant



*Refined
Beauty Crafted
For Living*

Designed with elegant carving details to elevate modern interiors with timeless style. Its premium finish creates a sophisticated atmosphere while complementing every design aesthetic. An ideal choice for luxurious residential and commercial spaces with enduring visual appeal.




RANGE OF
INSPIRATION



ANTRACITA
BEIGE



ANTRACITA
BIANCO



ANTRACITA
BROWN



ANTRACITA
GREY



ARREZO
BIANCO



ATHENS
GREY



CASTLE
GREY



LIMER
GREY



ONYX
GREY




PERLATO
ROYAL



RIZZONI




VENICE
BIANCO



VENICE
GREY



VENICE
NERO



VENICE
SAND



AMRILO
BEIGE E∞DLESS

It's A Clickable Catalogue

 Tap To
Explore
Each Product
Tap on particular product to
Explore full size view.

 Tap To
Back To
Index Page
Again tap on the Tiles Page
To return to the Index page



APOLLO
BEIGE E∞DLESS



APOLLO
GREY E∞DLESS



AVALON
BIANCO E∞DLESS



AVALON
GREY E∞DLESS



GRAVEL
ICE E∞DLESS



MORGAN
BIANCO E∞DLESS



MORROCO E∞DLESS



VIAGO
WHITE E∞DLESS



RKC
15001 CR



RKC
15002CR



RKC
15003CR



RKC
15004CR



RKC
15005CR



RKC
15006CR



RKC
15007CR



RKC
15008CR



R1



R2



R3

ANTRACITA BEIGE

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



R1



R2



R3

ANTRACITA BIANCO

Surface : Carving
Random : 03



Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM




TAP & SCAN FOR





R1



R2



R3

ANTRACITA BROWN

Surface : Carving
Random : 03

Thickness :
± 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



R1



R2



R3

ANTRACITA GREY

Surface : Carving
Random : 03

Thickness :
± 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR





Preview of
ANTRACITA BIANCO

ROCK



R1



R2



R3

ARREZO BIANCO

Surface : Carving
Random : 03

Thickness :
± 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



Back To Index





Preview of
ARREZO BIANCO



R1



R2




R3

ATHENS GREY

Surface : Carving
Random : 03

Thickness :
± 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



R1



R2



R3

CASTLE GREY

Surface : Carving
Random : 03

Thickness :
± 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR





R1



R2

LIMER GREY


Surface : **Carving**
Random : **02**

Thickness :
÷ **09mm**

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



R1



R2



R3

ONYX GREY

Surface : **Carving**
Random : **03**

Thickness :
÷ **09mm**

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR





Preview of
LIMER GREY



R1



R2



R3

PERLATO ROYAL

Surface : Carving
Random : 03

Thickness :
± 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



R1



R2



R3

RIZZONI

Surface : Carving
Random : 03

Thickness :
± 09mm

Available Size In
1200X1200MM & 1000X1000MM




TAP & SCAN FOR





Preview of
PERLATO ROYAL



VENICE BIANCO


Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



VENICE GREY

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM




TAP & SCAN FOR





R1



R2



R3

VENICE NERO

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR




Back To Index



R1



R2



R3

VENICE SAND

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR




Back To Index




Preview of
VENICE GREY


ROCK



R1



R2



R3

AMRILO BEIGE

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



Back To Index





Preview of
AMRILO BEIGE



R1



R2




R3

APOLLO BEIGE

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



R1



R2



R3

APOLLO GREY

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR





R1



R2



R3

AVALON BIANCO

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



R1



R2



R3

AVALON GREY

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM




TAP & SCAN FOR







Preview of
APOLLO GREY



R1



R2



R3

GRAVEL ICE


Surface : Carving
Random : 03

Thickness :
÷ 09mm


Available Size In
1200X1200MM & 1000X1000MM




TAP & SCAN FOR



R1



R2



R3

MORGAN BIANCO

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR






R1



R2



R3

MORROCO

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



Back To Index



R1



R2



R3

VIAGO WHITE

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



Back To Index



Preview of
VIAGO WHITE



RKC_15001CR

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



RKC_15002CR

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR





RKC_15003CR


Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



RKC_15004CR

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM




TAP & SCAN FOR





Preview of
RKC_15004CR



RKC_15005CR

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR




RKC_15006CR

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR





RKC_15007CR

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR



RKC_15008CR

Surface : Carving
Random : 03

Thickness :
÷ 09mm

Available Size In
1200X1200MM & 1000X1000MM



TAP & SCAN FOR





Preview of
RKC_15007CR

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO 13006:2018/ EN 14411 Gr.BIa	VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm²	Min. 35.0 N/mm²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

SIZE	THICKNESS	TILES / BOX	BOX / PALLET	PALLET	PER CNT. BOX
120X120cm	09mm	2 Pcs.	28 Box	13	444
		2 Pcs.	20 Box	4	444
100X100cm	09mm	2 Pcs.	28 Box	24	672
100X100cm	09mm	2 Pcs.	42 Box	16	672



ROCK

ROCK GRANITO LLP | ROCK SLABS LLP

Morbi-halvad Road, At Unchi Mandal,
Morbi. 363642(Gujarat)

E-mail

export@rockgranito.com

E-mail

Slabs@rockgranito.com

Website

www.rockgranito.com